



# Four Simple Steps.



## Approach

## Open

## Load

## Secure



1

2

3

4

Indicate to the driver that you will be loading your bicycle. Always approach the rack from the curb.

Hold your bike with one hand and use the other to squeeze the handle and lower the rack.

Lift or roll your bike onto the rack, placing the wheels in the tracks as indicated on the rack.

Lift the support arm and place it over your wheel. Be sure it rests at a level above the hub.

**Rack and Roll at no additional charge with any Kingston Transit Fare  
Spring ~ Summer ~ Fall**

### Important Notes For Rack and Roll Users

- Always load and unload your bike from the front or curb side of the bus.
- You are responsible to secure your bike properly.
- For safety reasons, Kingston Transit operators are not permitted to leave the bus to assist with loading and unloading of bikes.
- Kingston Transit personnel may refuse access to cyclists due to unsafe conditions.
- Kingston Transit is not responsible for damages incurred or caused by or to bicycles or for lost or stolen bicycles.
- Only non-motorized, two-wheeled bikes are allowed.



Promotional assistance for Rack and Roll provided by  
The Kingston Bicycling Advisory Committee  
[www.kingston.org/kbac/](http://www.kingston.org/kbac/)

The Sportworks™ bike rack is lightweight and designed for easy loading and unloading. It can be raised and lowered with one hand, and will securely hold bikes with wheels as small as 16 inches.

The rack is labelled with easy to follow instructions and can be loaded in as little as 10 seconds.

When loaded properly, the rack touches only the tires of the bicycle, minimizing opportunity for damage to the bicycle.